

### Product technical sheet

# **SOLO 0132**







32,9 m<sup>2</sup>



### **Material specification**

- Stainless steel, hot-dip galvanized and powder coated or powder galvanized and powder coated steel construction of 80 x 80 mm profile,
- Colorful elements made of durable HDPE plate, resistant to weather conditions,
- Educational paneles and moving elements made of HDPE plate, resistant to weather conditions,
- Spherical windows made of polycarbonate,
- Gutters made of fiberglass,
- Bucket made of safe, certified rubber with textile reinforcement,
- Elements made of safe, certified rubber with textile reinforcement,
- Steel ropes in polypropylene braid, connected with durable plastic elements, stainless steel or aluminum,
- Calibrated stainless steel chains, preventing fingers entrapment,
- Stainless steel bars,
- Stainless steel screws and/or screws covered with plastic caps,
- Safe end caps on top of the structure made of rubber or polypropylene,



### **Facilitating disability**



easy access



integration



### Intellectual development



manipulation



thinking




### **Physical development**




community


20/12/2024





[SS] 32,9 m<sup>2</sup>





### **Product technical sheet**

# **SOLO 0132**

### **Product data**

Length	435 cm	
Width	255 cm	
Total height	160 cm	
Age group	1+ years	
Number of users	18 kids	
Safety zone	32,9 m2	
Free fall height	< 60 cm	
In accordance with norm EN	1176-1:2017+A1:2023	
Availability of spare parts	YES	

Data is subject to change without prior notice.

### **Additional information**

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jamming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

### **Guarantee**



30 year guarantee -Durability of steel and 15 stainless steel structural elements



15 year guarantee - Durability of steel and stainless steel structures of mobile devices; durability of Robinia wood structural elements



10 year guarantee - Structural strength of HDPE, 100% recycled HDPE and HPL elements; structural elements made of 100% recycled material (composite)



5 year guarantee - Corrosion resistance of stainless steel and hot-dip galvanized and powder-coated steel elements, resistance to bark beetles and rotting of wooden structural elements

Detailed information in the guarantee card



VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





# **Surfaces according to EN 1176-1:2017+A1:2023**

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A.C.)	Particle size from 20 to 80	30	≤200
bark (A,C)		40	≤300
woodchips (A,C)	Particle size from 5	30	≤200
	to 30	40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		< 60

# B C

### **Product technical sheet**

# **SOLO 0132**

Amount of safe surface corresponding with free fall height:

HIC <60 32,9 m<sup>2</sup>

Data is subject to change without prior notice.